



BCC Inspektionslem / CONTROL COVER

BCC inspektionslem sikrer nem adgang til ventilationskanaler



Model: * BCC : Control cover

* BAD : Access door

Material: Control cover frame is manufactured from extruded aluminium profile, its cover is

manufactured from galvanized sheet and "U" profile, as for. On the otherhand, in access door, frame is manufactured from aluminium profile again, its cover is

manufactured from galvanized sheet, as for.

Usage: Control covers and access doors are used for interfering easily in all installations

such as air handling units in ventilation system applications where maintenance is needed. While control covers are opened and closed by the special lock mechanism on the frame, access doors are opened and closed by snap fastener that is put into

the frame. Also, while control covers are manufactured with insulation, access $% \left(1\right) =\left(1\right) \left(1\right) \left($

doors are manufactured without insulation.

Installation: Installation with screw

Coating: * Electrostatic powder coating (Standard colors are RAL 9010 and RAL 9016)

* Depending on demand, all the colors in other RAL codes are provided too.

Order Code: Model / Neck Dimension / Coating Type

		Model	Neck Dimension	Coating Type
		Model		
		ВСС	W x H (mm)	EPC9010
ВСС	CONTROL COVER			
BAD	ACCESS DOOR		* Look at page 6 for dimensions.	
EPC	ELECTROSTATIC POWDER COATING		** Please mention RAL of	color code.

Sample Order Code:

Model \ Neck Dimension \ Coating Type

W x H (mm)

BCC \ [136 x 136 (mm)] \ EPC9010

This booklet is updated constantly.

Therefore, technical changes and adaptations are possible!

Please contact us, in order to define your application together!


www.termicplus.dk


I info@termicplus.dk


F (mm)	L (mm)	Spacing necessary on the duct (mm)
150	150	86x86
200	200	136x136
250	250	186x186
300	300	236x236
350	350	286x286
400	400	336x336
450	450	386x386
500	500	436x436
550	550	486x486
600	600	536x536
650	650	586x586
700	700	636x636

F (mm) : Frame length L (mm) : Frame width

NOTE : The same table is valid for access door too.









I www.termicplus.dk

BCCF: Control cover frame
BADF: Access door frame

Access Door Technical Details



Control Cover Technical Details



W (mm) : Neck length
H (mm) : Neck width
F (mm) : Frame length
L (mm) : Frame width

Control Cover Selection Diagram



